

LITERATURA

1. Adamczyk J., Dobrzański L.A., Hajduczek E., Przybył M., Griner S.: Wpływ obróbki cieplnej i cieplno-chemicznej na strukturę i własności stali szybko tnącej SW3S2, Zesz. Nauk. Pol. Śl., Mech., 70 (1980) 19
2. Adamczyk J., Dobrzański L.A., Hajduczek E.: Badanie efektu twardości wtórnej w stalach szybko tnących wolframowo-molibdenowo-wanadowych, Prace V Ogólnop. Konf. Mikroskopii Elektronowej Ciała Stałego, PAN, Warszawa - Jadwisin (1978) 247-252
3. Adamczyk J., Przybył M.: Wpływ azotowania na strukturę i własności stali szybko tnących, Prace IMŻ, 33/34 (1978) 109-114
4. Adamiak M., Struktura i własności powłok TiN i Ti(CN) uzyskiwanych w procesie PVD na stalach szybko tnących, Praca doktorska niepublikowana, Bibl. Gł. Pol. Śl., Gliwice (1997)
5. Ashby M.F., Johnson K., Materials and design: the art and science of materials selection in product design, Butterworth Heinemann, Oxford-Amsterdam-Boston (2002)
6. Ashby M.F., Materials Selection in Mechanical Design, Pergamon Press, Oxford-New York-Seoul-Tokyo (1992)
7. Bała P., Kinytyka przemian fazowych przy odpuszczaniu i jej wpływ na własność stali, Praca doktorska, biblioteka główna AGH, Kraków, (2007)
8. Bochnowski W., Leitner H., Major Ł., Ebner R., Major B., Primary and secondary carbides in high-speed steels after conventional heat treatment and laser modification, Materials Chemistry and Physics 81 (2003) 503–506
9. Brandis H., Haberling E., Ortmann R., Weigand H.H.: Einfluß des Siliciumgehaltes auf Gefügeausbildung und Eigenschaften eines Schnellarbeitsstahles mit rd. 6% W, 5% Mo, 4% Cr, 2% V und 1% bzw. 1.AZ- 5% C, TEW Tech. Ber., 3 (1977) 81-99
10. Brandis H., Haberling E., Ortmann R., Weigand H.H.: Influence of silicon content on structure of high-speed steel of grade S6-5-2, Archiv für das Eisenhüttenwesen, 48 (1977) 437-442
11. Brandis H., Haberling E., Ortmann R.: S6-5-2Si (Thyrapid 3345) – ein optimierter Schnellarbeitsstahl, TEW Tech. Ber., 1 (1975) 106-109

12. Brandis H., Haberling E., Weigand H.H.: Metallurgical aspects of carbides in high speed steels, *TEW Tech. Ber.*, 7 (1981) 115-122
13. Bungardt K., Haberling E., Rose A., Weigand H.H.: Effect of carbon content on the structural composition and properties of a high-speed steel (6W-5Mo-4Cr-2%V), *DEW Techn. Ber.*, 12/2 (1972) 111-133
14. Bungardt K., Weigand H.H., Haberling E.: Effect of increased carbon contents on some properties of high-speed tool steels containing approximately 2% vanadium, *Stahl und Eisen*, 89 (1969) 420-426
15. Burakowski T., Wierzchoń T., *Inżynieria powierzchni metali*, WNT, Warszawa (1995)
16. Burczyński T.; Kuś W.; Beluch W.; John A.; Poteralski A.; Szczepanik M., *Zastosowanie algorytmów ewolucyjnych z MSC/Nastran i MSC/Marc w zagadnieniach optymalnego projektowania*, *Biuletyn Wojskowej Akademii Technicznej*, 53/6 (2004) 5-22
17. Cescon T., Popaleo R.: Study of the as-cast structures of tool steels with niobium, *Met. ABM*, 38 (1982) 221-224
18. Chatterjee D., Sutradhar G., Oraon B., Fuzzy rule-based prediction of hardness for sintered HSS components, *Journal of Materials Processing Technology*, 200 (2008) 212-220
19. Cholewa, W., Moczulski W., Ciupke K., *Rozwój metodologii pozyskiwania wiedzy w projektowaniu i eksploatacji maszyn*, *Inżynieria Maszyn*, 10/1-2 (2005) 97-106
20. Coelho G.C., Golczewski J.A., Fischmeister H.F., Thermodynamic Calculations for Nb-Containing High-Speed Steels and White-Cast-Iron Alloys, *Metallurgical and Materials Transactions A*, 34A (2003) 1749-1750
21. Cwajna J., Grosman F., Maciejny A.: Nowe oszczędnościowe, nieledeburtyczne stopy narzędziowe, *Prace CPT*, 64 (1986) 159-168
22. Cwajna J., Olszówka-Myalska A., Richter J.: Struktura i własności nowych materiałów narzędziowych, *Mat. XIII Konf. Met. PAN "AMT'92"*, Warszawa - Popowo (1992) 184
23. Cwajna J., Richter J., Szala J., Economical non-ledeburitic tool alloys - alloying philosophy, structure and properties, *Journal of Materials Processing Technology*, 133 (2003) 39-43
24. Cwajna J.: Ilościowy opis struktury stopów narzędziowych i jego zastosowanie, *Zesz. Nauk. Pol. Śl., Hutnictwo*, 39 (1991)

25. da Silva F.J., Franco S.D., Machado A.R., Ezugwu E.O., Souza Jr. A.M., Performance of cryogenically treated HSS tools, *Wear*, 261 (2006) 674–685
26. de Souza M.H.C., Falleiros J.G.S., Barbosa C.A., Mori F.Y.: Uso do nióbio como substituto do vanádio em aços rápidos, *Met. ABM.*, 38 (1982) 19-25
27. Deng Y.-M., Edwards K.L., The role of materials identification and selection in engineering design, *Materials and Design*, 28 (2007) 131-139
28. Dingu P., Zhou S., Pan F., Liu J., Ecotechnology for high-speed tool steels, *Materials and Design*, 22 (2001) 137-142
29. Dobrzański L.A.: Wpływ obróbki cieplnej i cieplno-mechanicznej na strukturę i własności stali szybko tnącej SW12C, Praca doktorska niepublikowana, Bibl. Gł. Pol. Śl., Gliwice (1977)
30. Dobrzański L.A. (red.): "Zasady doboru materiałów inżynierskich", Wyd. Politechniki Śląskiej, Gliwice, 2000.
31. Dobrzański L.A. Podstawy nauki o materiałach i metaloznawstwo, WNT, Warszawa, 2002.
32. Dobrzański L.A., Adamiak M., D'Errico G.E., Relationship between erosion resistance and the phase and chemical composition of PVD coatings deposited onto high-speed steel, *Journal of Materials Processing Technology*, 92-93 (1999) 184-189
33. Dobrzański L.A., Adamiak M., Structure and properties of the TiN and Ti(C,N) coatings deposited in the PVD process on high-speed steels, *Journal of Materials Processing Technology*, 133/1-2 (2003) 50-62
34. Dobrzański L.A., Adamiak M., The Structure and Properties of PVD Coated PM High-Speed Steels, *Key Engineering Materials*, 189-191 (2001) 381-386
35. Dobrzański L.A., Adamiak M., TiN and Ti(C,N) coatings on high-speed steels with Ti addition, their structure and properties, *Praktischen Metallographie Sonderbande*, 30 (1999) 569-574
36. Dobrzański L.A., Adamiak M.: Zastosowanie procesów PVD do uzyskiwania powłok TiN i Ti(C,N) na stalach szybko tnących, *Mat. I Kraj. Konf. Nauk. "Materiałoznawstwo - Odlewnictwo - Jakość MOJ'97"*, Kraków, (1997) Tom I: Materiałoznawstwo, 331-340
37. Dobrzański L.A., Gołombek K., Mikuła J., Pakuła D., Improvement of tool materials by deposition of gradient and multilayers coatings, *Journal of Achievements in Materials and Manufacturing Engineering*, 19/2 (2006) 86-91

38. Dobrzański L.A., Gołombek K., Mikuła J., Pakuła D., Multilayer and gradient PVD coatings on the sintered tool materials, *Journal of Achievements in Materials and Manufacturing Engineering*, 31/2 (2008) 170-190
39. Dobrzański L.A., Hajduczek E., Marciniak J., Nowosielski R.: *Metaloznawstwo i obróbka cieplna materiałów narzędziowych*, WNT, Warszawa, 1990
40. Dobrzański L.A., Kasprzak W., The influence of 5% cobalt addition on structure and working properties of the 9-2-2-5, 11-2-2-5 and 11-0-2-5 high-speed steels, *Journal of Materials Processing Technology*, 109/1-2 (2001) 52-64
41. Dobrzański L.A., Kasprzak W., Zarychta A., Ligarski M., Mazurkiewicz J.: Structure and properties of W-Mo-V-Co 11-0-2-5 type and W-Mo-V 11-0-2 type high-speed steels, *Journal of Materials Processing Technology*, 64/1-3 (1997) 93-99
42. Dobrzański L.A., Kloc-Ptaszna A., Matula G., Torralba J.M., Structure and properties of a gradient tool materials manufactured using the conventional powder metallurgy method, *Materials Science Forum*, 2009 (w druku)
43. Dobrzański L.A., Kwarciak J.: The use of DTA for determination of the equilibrium diagram for 9-0-2+Si high-speed steel, *Thermochimica Acta*, 93 (1985) 673-676
44. Dobrzański L.A., Kwaśny W., Brytan Z., Shishkov R., Tomov B., Structure and properties of the Ti + Ti(C,N) coatings obtained in the PVD process on sintered high speed steel, *Journal of Materials Processing Technology*, 157-158 (2004) 312-316
45. Dobrzański L.A., Ligarski M.: Role of Ti in the W-Mo-V high-speed steels, *Journal of Materials Processing Technology*, 64/1-3 (1997) 101-116
46. Dobrzański L.A., Madejski J., Malina W., Sitek W., The prototype of an expert system for the selection of high-speed steels for cutting tools, *Journal of Materials Processing Technology*, 56/1-4 (1996) 873-881
47. Dobrzański L.A., Matula G., Várez A., Levenfeld B., Torralba J.M., Structure and mechanical properties of HSS HS6-5-2- and HS12-1-5-5-type steel produced by modified powder injection moulding process, *Journal of Materials Processing Technology*, 157-158 (2004) 658-668
48. Dobrzański L.A., Matula G., Várez A., Levenfeld B., Torralba J.M., Fabrication methods and heat treatment conditions effect on tribological properties of high speed steels, *Journal of Materials Processing Technology*, 157-158 (2004) 324-330

49. Dobrzański L.A., Significance of materials science for the future development of sciences, *Journal of Materials Processing Technology*, 175/1-3 (2006) 133–148
50. Dobrzański L.A., Sitek W., Application of a neural network in modelling of hardenability of constructional steels, *Journal of Materials Processing Technology*, 78/1-3 (1998) 59-66
51. Dobrzański L.A., Sitek W., Comparison of hardenability calculation methods of the heat-treatable constructional steels, *Journal of Materials Processing Technology*, 64/1-3 (1997) 117-126
52. Dobrzański L.A., Sitek W., Designing of the chemical composition of constructional alloy steels, *Journal of Materials Processing Technology*, 89-90 (1999) 467-472
53. Dobrzański L.A., Sitek W., Krupiński M., Dobrzański J., Computer aided method for evaluation of failure class of materials working in creep conditions, *Journal of Materials Processing Technology*, 157-158 (2004) 102-106
54. Dobrzański L.A., Sitek W., The modelling of hardenability using neural networks, *Journal of Materials Processing Technology*, 92-93 (1999) 8-14
55. Dobrzański L.A., Sitek W., Załona J.: The modelling of high-speed steels' properties using neural networks, *Journal of Materials Processing Technology*, 157-158 (2004) 245-249
56. Dobrzański L.A., Structure and properties of high-speed steels with wear resistant cases or coatings, *Journal of Materials Processing Technology*, 109/1-2 (2001) 44-51
57. Dobrzański L.A., The structure and properties of the W-V high-speed steels with increased content of silicon, *Journal of Materials Processing Technology*, 56/1-4 (1996) 933-944
58. Dobrzański L.A., Trzaska J., Application of neural networks to forecasting the CCT diagram, *Journal of Materials Processing Technology*, 157-158 (2004) 107-113
59. Dobrzański L.A., Trzaska J., Sitek W.: The importance of artificial intelligence in designing new materials, *International Advanced Technology Congress, ATCi'2005*, Putrajaya, Malaysia, 2005, CD-rom.
60. Dobrzański L.A., Trzaska J.: Application of neural network for the prediction of continuous cooling transformation diagrams, *Computational Materials Science*, 30/3-4 (2004) 251-259.

61. Dobrzański L.A., Wosińska L., Gołombek K., Mięka J., Structure of multicomponent and gradient PVD coatings deposited on sintered tool materials, *Journal of Achievements in Materials and Manufacturing Engineering*, 20 (2007) 99-102
62. Dobrzański L.A., Zarychta A., Hajduczek E., Ligarski M.: Obróbka cieplna stali szybko tnących W Mo-V i W-V z dodatkiem Ti, Zakład Materiałów Narzędziowych i Technik Komputerowych w Metaloznawstwie, Politechnika Śląska, Gliwice (1997)
63. Dobrzański L.A., Zarychta A., Ligarski M., Hajduczek E.: Znaczenie Nb i Ti jako pierwiastków stopowych w stalach szybko tnących W-Mo-V, Zakład Materiałów Narzędziowych i Technik Komputerowych w Metaloznawstwie, Politechnika Śląska, Gliwice (1994)
64. Dobrzański L.A., Zarychta A., Ligarski M., High-speed steels with addition of niobium or titanium, *Journal of Materials Processing Technology*, 63/1-3 (1997) 531-541
65. Dobrzański L.A., Zarychta A., Ligarski M., Phase transformations during heat treatment of W Mo-V 11-2-2 type high-speed steels with increased contents of Si and Nb or Ti, *Journal of Materials Processing Technology*, 53/1-2 (1995) 109-120
66. Dobrzański L.A., Zarychta A., Ligarski M.: High-speed steels with addition of niobium or titanium, *Journal of Materials Processing Technology*, 63 (1997) 531
67. Dobrzański L.A., Zarychta A., Ligarski M.: Phase transformations during heat treatment of W Mo-V 11-2-2 type high-speed steels with increased contents of Si and Nb or Ti, *Journal of Materials Processing Technology*, 53 (1995) 109-120
68. Dobrzański L.A., Zarychta A., The structure and properties of W-Mo-V high-speed steels with increased contents of Si and Nb after heat treatment, *Journal of Materials Processing Technology*, 77/1-3 (1998) 180-193
69. Dobrzański L.A., Zarychta A., The structure and properties of W-Mo-V high-speed steels with increased contents of Si and Nb after heat treatment, *Journal of Materials Processing Technology*, 77 (1998) 180-193
70. Dobrzański L.A., Zarychta A.: Wpływ Nb i Ti na efekt twardości wtórnej stali szybko tnących W-Mo-V typu 9-2-2, 11-2-2 i 11 0 2 z podwyższonym stężeniem Si, *Materiały V Ogólnopolskiej Konferencji Naukowej "Materiały Narzędziowe"*, Gliwice - Zakopane, (1993) 63-74

71. Dobrzański L.A., Żukowska L.W., Mikula J., Gołombek K., Pakuła D., Pancielejko M., Structure and mechanical properties of gradient PVD coatings, *Journal of Materials Processing Technology*, 201/1-3 (2008) 310-314
72. Dobrzański L.A.: Effects of chemical composition and processing conditions on the structure and properties of high-speed steels, *Journal of Materials Processing Technology*, 48/1-4 (1995) 727-737
73. Dobrzański L.A.: High temperature thermo-mechanical treatment of 12-0-2+C type high-speed steel, *Journal of Materials Processing Technology*, 38/1-2 (1993) 123
74. Dobrzański L.A.: Komputerowa nauka o materiałach jako nauka projektowania materiałowego, *Materiały X Seminarium „Programy badań i kształcenia w inżynierii materiałowej”*, Wydawnictwo Politechniki Rzeszowskiej, Rzeszów-Myczkowce, (2004) 55-88
75. Dobrzański L.A.: Melting and crystallization behaviour of W-V-Si high-speed steels, *Steel Research*, 57/7 (1986) 37
76. Dobrzański L.A.: Stal szybkotnąca, zwłaszcza na narzędzia skrawające, Patent PRL Nr 141988 (1987)
77. Dobrzański L.A.: Wpływ Si na strukturę i własności stali szybkotnących wolframowo-wanadowych, *Zesz. Nauk. Pol. Śl., Mech.*, 96 (1989)
78. Duch W., Dokąd zmierza inteligencja obliczeniowa? [w:] *Ewolucja czy rewolucja. Nowoczesne techniki informatyczne*, Cierniak R. (red.), Częstochowa, (2003) 19-40
79. Dumont D., Deschamps A., Brechet Y., A model for predicting fracture mode and toughness in 7000 series aluminium alloys, *Acta Materialia*, 52 (2004) 2529-2540
80. Durante S., Comogli M., Ridgway K., Natale F., Franchi D.: Integrated development of high performance tools for efficient machining of difficult to cut materials in automotive and aerospace applications, *Proceeding of the 7th International Tooling Conference “Tooling materials and their applications form research to market”*, Torino, Italy, 1 (2006) 87-94.
81. Edenhofer B.: Anwendungen und Vorteile von Nitrierbehandlungen außerhalb des gewöhnlichen Temperaturbereiches. Teil 1: Behandlungen bei niedrigen Temperaturen (unterhalb von 500 °C), *Härterei-Technische Mitteilungen*, 30/1 (1975) 21-24

82. Edenhofer B.: Anwendungen und Vorteile von Nitrierbehandlungen außerhalb des gewöhnlichen Temperaturbereiches. Teil II: Behandlungen bei hohen Temperaturen (oberhalb von 580 °C), Härtereitechnische Mitteilungen, 30/4 (1975) 204-208
83. Edneral A.F., Kirienko V.J., Filimonov V.F., Effect of Titanium and Niobium on the properties of Tungsten-free high speed steel, Russian Metallurgy, 4 (1987) 92-96
84. Edwards K.L., Linking materials and design: an assessment of purpose and progress, Materials Design, 23 (2002) 255-264
85. Eriksson K.: Fracture toughness of hard high-speed steels, tool steels and white cast irons, Scandinavian Journal of Metallurgy, 2 (1973) 197-203
86. Fayyad U., Piatetsky-Shapiro G., Smyth P., From Data Mining to Knowledge Discovery in Databases, AI Magazine, 17(3) (1996) 37-54
87. Firouzidor V., Nejati E., Khomamizadeh F., Effect of deep cryogenic treatment on wear resistance and tool life of M2 HSS drill, Journal of Materials Processing Technology, 206 (2008) 467-472
88. Fischmeister H.F., Karagöz S., Liem J., Paul J., Poech M.: Quantitative metallography and structure-property relations in high-speed steels, Acta Steeologica, 5/2 (1986) 287-297
89. Fischmeister H.F., Riedl R., Karagöz S.: Solidification of high-speed tool steels, Metallurgical Transaction A, 20 (1989) 2133-2148
90. Fouvry S., Kapsa Ph., Vincent L., Wendler B., Kula P., Fretting analysis of modulated TiC/VC multilayers on M2 HSS steels, Inżynieria Materiałowa, 4 (1998) 990-993
91. Fredriksson H., Nica M.: The influence of vanadium, silicon and carbon on the eutectic reaction in M2 high-speed steels, Scandinavian Journal of Metallurgy, 8 (1979) 243-253
92. Galda E.J., Kraft R.W.: The effects of Mo and W on solidification of high speed steels, Metallurgical Transaction B, 5 (1974) 1727-1733
93. Gołombek K., Struktura i własności węglików spiekanych i cermetali narzędziowych pokrytych w procesie PVD powłokami odpornymi na ścieranie, Praca doktorska niepublikowana, Bibl. Gł. Pol. Śl., Gliwice (1997)
94. Gordo E., Rubio A., Velasco F.J., Torralba J.M., Microstructural development of high speed steels metal matrix composites, Journal of Materials Science Letters, 19 (2000) 2011-2014

95. Grosman F., Cwajna J., Pustówka E., Onderka J.: Możliwości oddziaływania procesu kucia w kowarce na strukturę i cechy geometryczne prętów ze stali narzędziowych, *Prace CPT*, 64 (1986) 133-143
96. Grosman F., Pustówka E.: Kotlina odkształcenia i przebieg odkształcenia w procesie kucia w kowarkach, *Hutnik*, 46/7 (1979) 290-297
97. Grosman F.: Analiza wpływu procesu kucia na kowarkach na własności wyrobu, *Zesz. Nauk. Pol. Śl., Hutnictwo*, 676 (1980)
98. Gusel L., Brezocnik M., Modeling of impact toughness of cold formed material by genetic programming, *Computational Materials Science*, 37 (2006) 476-482
99. Haberling E., Gümpel P.: Über den Einfluß von Niob auf die Gefügeausbildung und Härteannahme von Schnellarbeitsstählen, *TEW Techn. Ber.*, 6/2 (1980) 127-131
100. Haberling E., Hooock M.: Influence of tempering temperature and time on the hardness and residual austenite content of high-speed steels, *TEW Tech. Ber.*, May (1990) 9-15
101. Haque, M.E, Sudhakar K.V.: ANN back-propagation predict model for fracture toughness in microalloyed steel, *International Journal of Fatigue*, 24 (2002) 1003-1010
102. Heisterkamp F., Keown S.R.: Niobium moves into High Speed Tool Steels, *Metals and Materials*, 10 (1978) 35-36
103. Hellman P.: The Asea-Stora Process a new method for new steels, drastic improvement in tool life, *Wyd. Huty Stora Kopparberg, Söderfors, Szwecja*, (1970)
104. Herranz G., Levenfeld B, Várez A., Torralba J.M., Development of New feedstock formulation based on high density polyethylene for MIM of M2 high Speed steel, *Powder Metallurgy*, 48/2 (2005) 134-138
105. Herranz G., Nagel R., Zauner R., Levenfeld B, Várez A., Torralba J.M., Influence of Powder Surface Treatment with Stearic Acid on Powder Injection Moulding of M2 HSS Using a HDPE Based Binder, *Proceedings PM'2004 Powder Metallurgy World Congress*, 4 (2004) 397-402
106. Hetzner D.W., Refining carbide size distributions in M1 high speed steel by processing and alloying, *Materials Characterization*, 46 (2001) 175-182
107. Hoyle G., *Elektroslag Processes*, Applied Science Publisher, (1982)
108. Hoyle G., *High Speed Steels*, Butterworth & Co., Ltd, The University Press, Cambridge, (1988)

109. Hrubiaak R., George L., Saxena S.K., Rajan K., A Materials Database for Exploring Material Properties, JOM, 1 (2009) 59-62
110. <http://www.erasteel.com/us/produits/hss.php>
111. Jackson A.G., LeClair S.R., Ohmer M.C., Ziarko W., Al-Khamwi H.: Rough set applied to materials data, Acta Materialia, 44/11 (1996) 4475-4484
112. Jackson A.G., Pawlak Z., LeClair S.R.: Rough set applied to the discovery of materials knowledge, Journal of Alloys and Compounds, 279 (1998) 14-21
113. Karagöz S., Fischmeister H., Cutting Performance and Microstructure of High Speed Steels: Contributions of Matrix Strengthening and Undissolved Carbides, Metallurgical and Materials Transactions A , 29A (1998) 205-216
114. Kasprzak W., Znaczenie Co w stalach szybko tnących o obniżonym stężeniu W i Mo oraz podwyższonym stężeniu Si, Praca doktorska niepublikowana, Bibl. Gł. Pol. Śl., Gliwice (1998)
115. Keown S.R., Kudielka E., Heisterkamp F.: Replacement of vanadium by niobium in S6-5-2 high-speed tool steels, Metals Technology, 2 (1980) 50-57
116. Kiyonaga K.: [w:] Proceedings of Symposium on "Toward Improved Ductility and Toughness", Climax Molybdenum Development Company, Kyoto, Japan, (1971) 207-239
117. Kloc A., Dobrzański L.A., Matula G., Torralba J.M., Effect of manufacturing methods on structure and properties of the gradient tool materials with the non-alloy steel matrix reinforced with the HS6-5-2 type high-speed steel, Materials Science Forum, 539-543 (2007) 2749-2754
118. Kokosza A., Pacyna J.: Evaluation of retained austenite stability in heat treated cold work tool steel, Journal of Materials Processing Technology, 162-163 (2005) 327-331
119. Krawiarz J., Wysokowanadowe stale narzędziowe o dużej odporności na ścieranie, Prace CPT SIMP, IV Krajowa Konferencja „Materiały Narzędziowe”, Rydzyna, 103 (1988) 81-89
120. Krawiarz J., Stale narzędziowe nieledoburtyczne o dużej odporności na ścieranie, Patent Nr 162262 (1994)
121. Krawiarz J., Mazur A., Kaliszewski E., Woźniak R., State of the art of extra abrasive resistant high vanadium nonledoburitic tool steel since 10 years of their production in

- Baildon Steel Works, Proceedings of the 14-th International Scientific Conference, Advanced Materials and Technologies, Gliwice-Zakopane, (1995) 214-226
122. Krawiarz J. Mazur A., High-Speed Steel for Precise Casted Tools, *Inżynieria Materiałowa*, 4 (2001), 477-480
123. Kudielka H.: Röntgenbeugungsuntersuchungen über den Einfluß von Niob auf Phasenumwandlungen in Schnellarbeitsstählen, *Archiv für das Eisenhüttenwesen*, 54 (1983) 381-384
124. Kula P., Jachowicz D., TiN arc coatings on the former vacuum nitrided substrates of HSS steels, *Inżynieria Materiałowa*, 4 (1998) 1002-1006
125. Kula P., Obróbka cieplno-chemiczna w próżni - perspektywy rozwoju, *Inżynieria Materiałowa*, 5 (1999) 221-223
126. Kulmburg A., Korntheuer F.: Das Umwandlungsverhalten von Schnellarbeitsstählen bei kontinuierlicher Abkühlung unter besonderer Berücksichtigung der Martensitstufe, *Härterei-Technische Mitteilungen*, 31 (1976) 195
127. Kunze E., Brandis H.: Einfluss der Gehalte an Karbidbildner auf die Eigenschaften von Schnellarbeitsstählen, *DEW Tech. Ber.*, 4 (1964) 75-79
128. Kuo K.: Carbide Precipitation, Secondary Hardening and Red Hardness of High Speed Steel, *Journal of Iron Steel Institute (Japan)*, 174 (1953) 223-228
129. Kwaśny, W. Sitek, L.A. Dobrzański, Modelling of properties of the PVD coatings using neural networks, *Journal of Achievements in Materials and Manufacturing Engineering*, 24/2 (2007) 163-166
130. Leskovšek V., Kalin M., Vižintin J., Influence of deep-cryogenic treatment on wear resistance of vacuum heat-treated HSS, *Vacuum*, 80 (2006) 507-518
131. Leskovšek V., Ule B., Improved vacuum heat-treatment for fine-blanking tools from high-speed steel M2, *Journal of Materials Processing Technology*, 82 (1998) 89-94
132. Leskovšek V., Ule B., Liščić B., Relations between fracture toughness and microstructure of vacuum heat-treated high-speed steel, *Journal of Materials Processing Technology*, 127 (2002) 298-308
133. Levenfeld, B.; Várez, A.; Castro, L., Torralba, J.M, Processing of P/M M2 high speed steels by mould casting using thermosetting binders, *Journal of Materials Processing Technology*, 119/1-3 (2001) 1-6

134. Ligarski M, Wpływ częściowej substytucji wanadu przez tytan na przemiany fazowe w stalach szybko tnących wolframowo-molibdenowo-wanadowych, Praca doktorska niepublikowana, Bibl. Gł. Pol. Śl., Gliwice (1996)
135. Liujie X., Jiandong ., Shizhong W., Tao P., Yongzhen Z., Rui L., Artificial neural network prediction of heat-treatment hardness and abrasive wear resistance of High-Vanadium High-Speed Steel (HVHSS), *Journal of Materials Science*, 42 (2007) 2565-2573
136. Liujie X., Jiandong ., Shizhong W., Yongzhen Z., Rui L., Artificial neural network prediction of retained austenite content and impact toughness of high-vanadium high-speed steel (HVHSS), *Materials Science and Engineering A*, 433 (2006) 251-256
137. Ljungberg L.Y., Edwards K.L., Design, materials selection and marketing of successful products, *Materials & Design*, 24 (2003) 519-529
138. Lu W.F., Deng Y.-M., A system modelling methodology for materials and engineering systems design integration, *Materials & Design*, 25 (2004) 459-469
139. Lukaszewicz K., Dobrzański L.A., Staszuk M., Pancielejko M., Comparison of the PVD gradient coatings deposited onto X40CrMoV5-1 and HS6-5-2 tool steel substrate, *Journal of Achievements in Materials and Manufacturing Engineering*, 27/1 (2008) 79-82
140. Matula G., Dobrzański L.A., Herranz G., Varez A., Levenfeld B., Torralba J.M., Structure and properties of HS6-5-2 type HSS manufactured by different P/M methods, *Journal of Achievements in Materials and Manufacturing Engineering*, 22/2 (2007) 71-74
141. Matula G., Dobrzański L.A., Varez A., Levenfeld B., Torralba J.M., Comparison of structure and properties of the HS12-1-5-5 type high-speed steel fabricated using the pressureless forming and PIM methods, *Journal of Materials Processing Technology*, 162-163 (2005) 230-235
142. Matula G., Gołombek K., Mięka J., Dobrzański L.A., Structure of sintered gradient tool materials, *Journal of Achievements in Materials and Manufacturing Engineering*, 32/1 (2009) 23-28
143. Matula G., Gołombek K., Mięka J., Dobrzański L.A., Structure of sintered gradient tool materials, *Journal of Achievements in Materials and Manufacturing Engineering*, 32/1 (2009) 23-28

144. Mazur A., Paluszkiwicz T., Krawiarz J.: Wykresy kinetyki przemiany przechłodzonego austenitu CTP dla stali typu 6-5-2, *Hutnik*, 48/8-9 (1981) wkładka
145. Mazur A., Paluszkiwicz T., Krawiarz J.: Wykresy kinetyki przemiany przechłodzonego austenitu CTP dla stali typu 6-5-2-5, *Hutnik*, 50/2 (1983) wkładka
146. Mazur A., Paluszkiwicz T., Krawiarz J.: Wykresy kinetyki przemiany przechłodzonego austenitu CTP dla stali typu 10-4-3-10, *Hutnik*, 51/1 (1984) wkładka
147. McDowell D.L., Simulation-assisted materials design for the concurrent design of materials and products, *JOM*, Sept. (2008) 21-25
148. Mesquita R.A., Barbosa C.A., Spray forming high speed steel-properties and processing, *Materials Science and Engineering A*, 383 (2004) 87-95
149. Mills B., Recent development in cutting tool materials, *Journal of Materials Processing Technology*, 56 (1996) 16-23
150. Moczulski W.: Metody pozyskiwania wiedzy dla potrzeb diagnostyki maszyn, *Zeszyty Naukowe Politechniki Śląskiej, Mechanika z. 130*, Gliwice, (1997)
151. Molinari A., Pellizzari A., Gialanella A., Straffelini G., Stiasny K.H., Effect of deep cryogenic treatment on mechanical properties of tool steels, *Journal of Materials Processing Technology*, 118 (2001) 350-355
152. Moon H.K., Lee K.B., Kwon H., Influences of Co addition and austenitizing temperature on secondary hardening and impact fracture behavior in P/M high speed steels of W-Mo-Cr-V(-Co) system, *Materials Science and Engineering A*, 474 (2008) 328-334
153. Nałęcz M. (red.), *Biocybernetyka i inżynieria biomedyczna, tom 6 Sieci neuronowe*, (red.) Duch W., Korbicz J., Rutkowski L., Tadeusiewicz R., EXIT, Warszawa, (2000)
154. Olson G.B., Computational design of hierarchically structured materials, *Science*, 277 (1997) 1237-1242
155. Olson G.B., Designing a new materials world, *Science*, 288 (2000) 993-998
156. Pacyna J., Kędziński Z., Kusiński K.: Effect of molybdenum on the fracture characteristic of high-speed steel quenched matrix, *Steel Research*, 56/2 (1985) 105-109
157. Pacyna J., Mazur A.: Relationship between the grain size and fracture toughness of tool steel, *Steel Research*, 57/11 (1986) 577-585

158. Pacyna J., Mazur A.: Zastosowanie metody liniowo-sprężystej mechaniki pękania i próby statycznego zginania do oceny ciągliwości stali szybko tnących, *Mechanik*, 55 (1982) 403-408
159. Pacyna J., Projektowanie składów chemicznych stali, Wydawnictwo Wydziału Metalurgii i Inżynierii Materiałowej, AGH, Kraków, (1997)
160. Pacyna J., Strach M., Mruczak J.: The effect of niobium on fracture toughness of the matrix of quenched High-Speed Steel, *Arch. Met.*, 40/2 (1995) 205-216
161. Pacyna J., Witek L.: The effect of carbides on fracture toughness of steels of ferritic matrix, *Steel Research*, 59/2 (1988) 68-74
162. Pacyna J.: Effect of non-metallic inclusion (NMI) on fracture toughness of tool steels, *Steel Research*, 57/11 (1986) 586-592
163. Pacyna J.: Retained austenite in the cracking process of steel on the working rolls of the cold sheet rolling mill, *Steel Research*, 63/11 (1992) 500-503
164. Pacyna J.: The effect of low-temperature coagulation of carbides on fracture toughness of high-speed steels, *Steel Research*, 59/10 (1988) 465-468
165. Pacyna J.: The effect of retained austenite on the fracture toughness of high-speed steels” *Steel Research*, 58/2 (1987) 87-92
166. Pacyna J.: Metaloznawstwo pękania stali narzędziowych, *Zesz. Nauk. AGH, Met. Odl.*, 1230 (1988)
167. Pan F., Ding P., Tang A., Hirohashi M., Lu Y., Edmonds D. V., Carbides in high-speed steels containing silicon, *Metallurgical and Materials Transactions A*, 35/9 (2004) 2757 - 2766
168. Pan F., Ding P., Zhou S., Kang M., Edmonds D. V., Effect of silicon additions on the mechanical properties and microstructure of high speed steels, *Acta Materialia*, 45/11 (1997) 4703-4712
169. Pan F., Hirohashi M., Lu Y., Ding P., Tang A., Edmonds D.V., Carbides in High-Speed Steels Containing Silicon, *Metallurgical and Materials Transactions A*, 35A (2004) 2757-2766
170. Pan F., Tang, A.T., Chen J., et al., Alloying elements in high-speed steels, *J. Journal of Iron and Steel Research*, 6 (1999) 33-38

171. Panchal J.H., Choi H.-J., Allen J.K., McDowell D.L., Mistree F., A systems-based approach for integrated design of materials, products and design process chains, *Journal of Computer-Aided Materials Design* (2007) 14:265–293
172. Payson P.: *The Metallurgy of Tool Steels*, J. Willey and Sons, New York, 1962
173. PN EN ISO 12737:2006, Metale - Określanie odporności na pękanie w płaskim stanie odkształcenia
174. PN EN ISO 4957:2004, Stale narzędziowe
175. Polok-Rubinić M., Dobrzański L.A., Adamiak M., Comparison of the PVD coatings, *Archives of Materials Science and Engineering*, 38/2 (2009) 118-125
176. Popandopulo A.N., Pakhomova N.A.: Effect of titanium on the structure and properties of cast molybdenum high-speed steel, *MTOM*, 27/4 (1985) 24-26
177. Przybył M.: Wpływ warunków azotowania i borowania na strukturę i własności warstw dyfuzyjnych odpornych na ścieranie wytworzonych na wybranych stalach narzędziowych stopowych, Praca doktorska niepublikowana, Bibl. Gł. Pol. Śl., Gliwice, (1979)
178. Qamar S.Z., Sheikh A.K., Arif A.F.M., Pervez T., Regression-based CVN– K_{Ic} models for hot work tool steels, *Materials Science and Engineering A*, 430 (2006) 208–215
179. Rajan K., *Materials informatics*, *Materials Today*, Oct (2005) 38-45
180. Richter J., Cwajna J., Olszówka-Myalska A.: Czynniki strukturalne decydujące o własnościach skrawnych narzędzi z nieledeburytycznych stali szybko tnących typu 0-5-1-3Ti-2Nb, *Materiały V Ogólnopolskiej Konferencji Naukowej "Materiały Narzędziowe"*, Gliwice – Zakopane, (1993) 171-177
181. Richter J., Hetmańczyk M., Cwajna J.: Characterization of carbide phase in nonledeburitic high-speed steel containing Ti and Nb, *Journal of Materials Processing Technology*, 53 (1995) 341-348
182. Richter J., Tribological evaluation of high-speed steels with a regulated carbide phase, *Materials Characterization*, 50 (2003) 339– 347
183. Richter J.: Strukturalne czynniki mikrościerania i dekohezji stopów narzędziowych o zróżnicowanej fazie dyspersyjnej, *Zeszyty Naukowe Politechniki Śląskiej, Nr 1674, Hutnictwo z. 75*, Gliwice, (2005)
184. Riedl R., Karagöz S., Fischmeister H., Jeglitsch F.: Developments in high speed tool steels, *Steel Research*, 58 (1987) 339-352

185. Riedl R., Karagöz S., Fischmeister H.: Solidification morphology of primary carbides in niobium-alloyed S 6-5-2 type high-speed steels, *Z. Met.*, 74/4 (1983) 199-205
186. Roberts G.A., Hamaker J.C., Johnson A.R.: *Tool Steels*, American Society for Metals, Metals Park, (1962)
187. Romano P., Lyckfeldt O., Candela N., Velasco F.J., Water-based processing of high-speed steel utilising starch consolidation, *Journal of Materials Processing Technology*, 143-144 (2003) 752-757
188. Romano P., Velasco F.J., Torralba J.M., Candela N., Processing of M2 powder metallurgy high-speed steel by means of starch consolidation, *Materials Science and Engineering A*, 419 (2006) 1-7
189. Rosso M, Ceramic and metal matrix composites: Routes and properties, *Journal of Materials Processing Technology*, 175 (2006) 364-375
190. Rosso M., Properties of coatings on sintered iron alloys, *Journal of Achievements in Materials and Manufacturing Engineering*, 19/2 (2006) 35-42
191. Rosso M., The excellence of PM tool steels, their modern competitiveness, reliability and innovation, *Proceedings of 7th Tooling Conference*, Torino, Italy, 1 (2006) 389-400
192. Rosso M., Ugues D., Actis Grande M., The challenge of PM tool steels for the innovation, *Journal of Achievements in Materials and Manufacturing Engineering*, 18/1-2 (2006) 175-178
193. Rubeša D., Smoljan B., Danzer R., Main features of designing with brittle materials, *Journal of Materials Engineering and Performance*, 12(2) (2003) 220-228
194. Ruiz-Navas E.M., Garcia R., Gordo E., Velasco F.J., Development and characterisation of high-speed steel matrix composites gradient materials, *Journal of Materials Processing Technology*, 143-144 (2003) 769-775
195. Schlatter R., Stepanic J.: Silicon additions improve high-speed steels, *Metal Progress*, 109/6 (1976) 56-59
196. Shizhong W., Jinhua Z., Liujie X.. Effect of retained austenite on performance of high vanadium high speed steel. *Trans Mater Heat Treat*, 26/1 (2005) 44-47
197. Shizhong W., Jinhua Z., Liujie X., Effects of carbon on microstructures and properties of high vanadium high speed steel, *Materials & Design*, 27/1 (2006) 58-63
198. Sitek W., Dobrzański L.A.: Application of genetic methods in materials' design, *Journal of Materials Processing Technology*, 164-165 (2005) 1607-1611

199. Sitek W., Employment of rough data for modelling of materials properties, *Journal of Achievements in Materials and Manufacturing Engineering*, 21/2 (2007) 65-68
200. Sitek W., Trzaska J., Dobrzański L.A., An artificial intelligence approach in designing new materials, *Journal of Achievements in Materials and Manufacturing Engineering*, 17/1-2 (2006) 277-280
201. Sitek W., Trzaska J., Dobrzański L.A., Evaluation of chemical composition effect on materials properties using AI methods, *Journal of Achievements in Materials and Manufacturing Engineering*, 20 (2007) 379-382
202. Smoljan B., Computer simulation of mechanical properties, stresses and strains of quenched steel specimen, *Journal of Achievements in Materials and Manufacturing Engineering*, 19/2 (2006) 81-85
203. Smoljan B., Numerical Simulation of Steel Quenching, *Journal of Materials Engineering and Performance*, 11 (1) (2002) 75-79
204. Smoljan B., Tomašić N., Iljkić D., Felde I., Reti T., Application of JM®-TEST in 3D simulation of quenching, *Journal of Achievements in Materials and Manufacturing Engineering*, 17/1-2 (2006) 281-284
205. Šuštaršič B., Kosec L., Jenko M., Leskovšek V., Vacuum sintering of water-atomised HSS powders with MoS₂ additions, *Vacuum*, 61 (2001) 471-477
206. Šuštaršič B., Kosec L., Kosec, M., Podgornik, B., Dolinšek, S., The influence of MoS₂ additions on the densification of water-atomized HSS powders, *Journal of Materials Processing Technology*, 173 (2006) 291-300
207. Šliwa A., Dobrzański L.A., Kwaśny W., Sitek W., Finite Element Method application for modeling of PVD coatings properties, *Journal of Achievements in Materials and Manufacturing Engineering*, 27/2 (2008) 171-174
208. Trzaska J., Dobrzański L.A., Application of neural networks for designing the chemical composition of steel with the assumed hardness after cooling from the austenitising temperature, *Journal of Materials Processing Technology*, 164-165 (2005) 1637-1643
209. Trzaska J., Dobrzański L.A., Modelling of CCT diagrams for engineering and constructional steels, *Journal of Materials Processing Technology*, 192-193 (2007) 504-510

210. Trzaska J., Sitek W., Dobrzański L.A., Application of neural networks for selection of steel grade with required hardenability, *International Journal of Computational Materials Science and Surface Engineering*, 1/3 (2007) 366-382
211. Varez A., Levenfeld B., Torralba J.M., Matula G., Dobrzański L.A.: Sintering in different atmospheres of T15 and M2 high speed steels produced by modified metal injection moulding process, *Materials Science and Engineering A*, 366/2 (2004) 318-324
212. Várez A., Portuondo J., Levenfeld B, Torralba J.M., Processing of P/M T15 high speed steels by mould casting using thermosetting binders, *Materials Chemistry and Physics*, 67 (2001) 43-48
213. Vyshkovski E., Panasjuk V.: New sparingly alloyed high-speed steel with elevated content of silicon, *Metalloved. Term. Obrab. Met., MTOM*, 9 (1978) 30-33
214. Waterman, N.A., Ashby, M.F., *The Materials Selector*, vol. 1-3, Chapman & Hall, London-Weinheim-New York-Tokyo-Melbourne-Madras (1997)
215. Wendler B., Charakterystyki strukturalne oraz własności mechaniczne, tribologiczne i użytkowe modulowanych powłok TiC/VC oraz TiCN/VCN na stalach szybko tnących, *Inżynieria Materiałowa*, 5 (1999) 506
216. Zarychta A.: Wpływ niobu na procesy wydzieleniowe w stalach szybko tnących wolframowo-wanadowych z podwyższonym stężeniem krzemu, *Praca doktorska niepublikowana, Bibl. Gł. Pol. Śl., Gliwice*, 1995